

RESULT DRIVER:  
Scott Marion  
Motor Carrier Services Director

## KEEP ROADS AND BRIDGES IN GOOD CONDITION

### *Percent of major highways in good condition – 2a*

MEASUREMENT  
DRIVER:  
Steve Engelbrecht  
District Planning Manager

PURPOSE OF  
THE MEASURE:  
This measure tracks the  
condition of Missouri's major  
highways.

MEASUREMENT AND  
DATA COLLECTION:  
Missouri's major highway  
system contains the state's  
busiest highways, including  
interstates and most U.S.  
routes. It also includes busy  
routes in urban areas,  
particularly where vehicles  
travel between business  
districts and residential areas.  
There are 5,494 total miles on  
the major highway system, and  
the condition of these  
roadways is determined using  
a variety of measures.


While it can be difficult to  
compare one state's roadways  
to another's, MoDOT uses  
Georgia as a comparable  
system because it has a similar  
amount of major highways and  
also bases its evaluation on  
the smoothness of the  
roadways. Missouri measures  
the condition of its roadways  
using smoothness as one  
factor, but also considers  
physical distresses such as  
cracking.

Missourians have repeatedly told MoDOT keeping roads smooth is a top priority. Over the years, MoDOT has been able to fund pavement improvement programs greatly improving pavement conditions on the thousands of miles of state highways. Currently, more than 90 percent of major highways are rated in good condition.




# KEEP ROADS AND BRIDGES IN GOOD CONDITION

## Percent of Major Highways in Good Condition



## Percent of Interstate Highways in Good Condition



\*Source data for Georgia comes from FHWA highway statistics. Full data sets are collected every two years. The data set for 2014 is not a full data set. Georgia data is based only on pavement smoothness (IRI) submitted as part of the Highway Performance Monitoring System.

**RESULT DRIVER:**  
Scott Marion  
Motor Carrier Services Director

# KEEP ROADS AND BRIDGES IN GOOD CONDITION

## Percent of minor highways in good condition – 2b

**MEASUREMENT DRIVER:**  
Wesley Stephen  
District Planning Manager


**PURPOSE OF THE MEASURE:**  
This measure tracks the condition of Missouri's minor highways.

**MEASUREMENT AND DATA COLLECTION:**  
Missouri's minor highway system consists of its less-traveled state highways, including those routes that mainly serve local transportation needs. The minor highway system includes most lettered routes. There are 28,379 miles of minor highways in Missouri. The condition of these routes is determined using a variety of measures.

While it can be difficult to compare one state's roadways to another's, MoDOT uses Illinois as a comparable system because it has a similar number of minor highways. Missouri measures the condition of its roadways using smoothness as one factor, but also considers physical distresses such as cracking.

Although minor roads are less traveled, Missourians still say keeping them in good condition is a priority. During the early 2000s, MoDOT's focus was on improving major highways. This resulted in less work being done on minor roads and declining condition ratings. Over the past few years, success on major highways has allowed the department to focus more time and funding on improving minor highways.

Currently, 78 percent of Missouri's minor highways are in good condition, which is slightly below 2014.



**\*Source data for Illinois comes from FHWA highway statistics. Data for 2015 is not available at the time of publication. Data is based on a combination of pavement condition and smoothness as submitted as part of the Highway Performance Monitoring System.**

RESULT DRIVER:  
Scott Marion  
Motor Carrier Services Director

## KEEP ROADS AND BRIDGES IN GOOD CONDITION

### *Condition of state bridges – 2c*

MEASUREMENT  
DRIVER:  
Jerad Noland  
District Design Engineer

PURPOSE OF  
THE MEASURE:  
This measure tracks progress  
toward improving the condition  
of Missouri's bridges.

MEASUREMENT AND  
DATA COLLECTION:  
This measure is updated in  
April based on MoDOT  
inspections conducted the prior  
year. Data is presented for all  
state bridges and major  
bridges. Major bridges are  
typically those that cross large  
rivers and lakes and are longer  
than 1,000 feet. Of the 10,394  
bridges on state highways, 206  
are major. Bridges are  
categorized as being in good,  
fair or poor condition. Good  
means no significant condition-  
related problems exist. Fair  
indicates moderate problems  
that may require minor  
rehabilitation or maintenance  
to return the structure to good  
condition. Poor indicates a  
structure that is deficient,  
requiring either replacement or  
a major rehabilitation.



The public has indicated the condition of Missouri's existing roadway system should be one of the state's highest priorities. Currently, 1,898 (47 major) structures are in poor condition, 4,942 (107 major) structures are in fair condition and 3,554 (52 major) structures are in good condition.

Statewide, the number of structures in poor condition has steadily decreased over the last five years, but the rate of decline is slowing down. The number of structures in good condition peaked in 2011 and has been declining since. The gradual decrease in the number of poor condition structures is attributable to a significant focus in the STIP on taking care of the worst bridges with the limited funds available. The decline in good bridges demonstrates the fact that the construction program has slowed down with the number of bridges being taken care of within a year being fairly close to the number that are becoming poor condition. This is shown by comparing the drop in poor condition bridges of 310 to the drop in good condition bridges of 253 over the five-year period. The number in fair condition continues to significantly increase which is reflective of MoDOT's aging bridge population with many structures at the point where they need minor maintenance or rehabilitation.

For major bridges, the number of structures in the poor category has generally been dropping over the last five years because of an aggressive focus on these structures in the STIP. However, despite a significant investment in major bridges, the number of structures in good condition generally dropped over the five-year period while the number in fair condition significantly increased. Work on major bridges is expensive with rehabilitations costing \$10 - \$20 million and replacements ranging from \$20 - \$200 million.



# KEEP ROADS AND BRIDGES IN GOOD CONDITION



**RESULT DRIVER:**  
Scott Marion  
Motor Carrier Services Director

# KEEP ROADS AND BRIDGES IN GOOD CONDITION

## Percent of structurally deficient deck area on National Highway System – 2d

**MEASUREMENT DRIVER:**  
David Wyman  
Area Engineer

**PURPOSE OF THE MEASURE:**  
This measure tracks the percent of structurally deficient deck area for bridges on the National Highway System.

**MEASUREMENT AND DATA COLLECTION:**  
The NHS is defined by federal law and consists of all roadways functionally classified as principal arterials as well as some routes that serve as major connections to multimodal freight-type facilities and some locally owned roadways. Historically, structurally deficient consists of bridges that are in bad condition or have insufficient load capacity when compared to modern design standards. The Fixing America's Surface Transportation Act, requires states to track the structurally deficient deck area. FAST has a penalty clause that kicks in if the percentage of structurally deficient deck area within a state exceeds 10 percent.

The public has indicated keeping Missouri's existing roads and bridges in good condition should be one of the state's highest priorities. The FAST Act established a 10 percent penalty threshold for states. When the threshold is exceeded, the state is required to focus money on bridges until they were back under 10 percent. The local system has 82 NHS structures (three SD) and the MoDOT system has 3,562 NHS structures (138 SD). Missouri currently falls below the penalty threshold with the total at 6.6 percent. This is attributable to the continued efforts at focusing on major bridges when funding is available as well as the increase focus on dealing with the critical condition bridges within the STIP.

Statewide, this measure also is heavily influenced by major bridges because one structure has the ability to impact this measure +/-0.5 percent. When looking at the local system, a large bridge can have a very dramatic impact because of the small number of local structures that are part of the NHS. This is evident in the dramatic change on the local system from 2014 to 2015, which was the result of one newly deficient large structure. The changes on the state system resulted from 48 structures with a large percentage of this change coming from nine structures. The roadways that are included on the NHS are still seeing some minor adjustments, but these changes should have insignificant impacts on the overall numbers.

